Parasitology

EDITORS

F. E. G. COX *and* C. ARME

EDITORIAL ASSISTANT

M. ELISABETH PAINTER Ph.D.

ADVISORY BOARD

L. G. GOODWIN, F.R.S. (Chairman)

R. M. ANDERSON, F.R.S.
R. W. ASHFORD
D. C. BARKER
D. A. P. BUNDY
A. O. BUSH
L. H. CHAPPELL*
D. W. T. CROMPTON
K. DIETZ
H. GINSBURG
D. W. HALTON
C. R. KENNEDY
M. W. KENNEDY
D. L. LEE
D. P. McMANUS
E. OTTERSEN
P. W. PAPPAS
R. A. PAX
D. ROLLINSON
A. SAUL
M. E. SCOTT
A. SHER
R. C. TINSLEY
K. VICKERMAN, F.R.S.
D. WAKELIN
P. J. WHITFIELD
R. A. WILSON
M. E. J. WOOLHOUSE

*Representing the British Society for Parasitology.

CAMBRIDGE
UNIVERSITY PRESS

PUBLISHED BY THE PRESS SYNDICATE OF THE UNIVERSITY OF CAMBRIDGE
The Pitt Building, Trumpington Street, Cambridge CB2 1RP, United Kingdom

CAMBRIDGE UNIVERSITY PRESS
The Edinburgh Building, Cambridge CB2 2RU, United Kingdom
40 West 20th Street, New York, NY 10011–4211, USA
10 Stamford Road, Oakleigh, Melbourne 3166, Australia

© Cambridge University Press, 1998

Printed in Great Britain by the
University Press, Cambridge

CONTENTS

PART 1 JULY 1998

VICTOIR, K., BAÑULS, A. L., AREVALO, J., LLANOS-CUENTAS, A., HAMERS, R., NOËL, S., DE DONCKER, S., LERAY, D., TIBAYRENC, M. and DUJARDIN, J. C. The gp63 gene locus, a target for genetic characterization of *Leishmania* belonging to subgenus *Viannia* 1

DUNN, A. M. and RIGAUD, T. Horizontal transfer of parasitic sex ratio distorters between crustacean hosts 15

DUNN, A. M., TERRY, R. S. and TANEYHILL, D. E. Within-host transmission strategies of transovarial, feminizing parasites of *Gammarus duebeni* 21

MORGAN, U. M., SARGENT, K. D., DEPLAZES, P., FORBES, D. A., SPANO, F., HERTZBERG, H., ELLIOT, A. and THOMPSON, R. C. A. Molecular characterization of *Cryptosporidium* from various hosts 31

BUMSTEAD, J. M., TOPHAM, S. J. and TOMLEY, F. M. Inhibition of the development of *Eimeria tenella* in cultured bovine kidney cells by a soluble factor produced by peripheral blood lymphocytes from immune chickens 39

O'CALLAGHAN, C. J., MEDLEY, G. F., PETER, T. F. and PERRY, B. D. Investigating the epidemiology of heartwater (*Cowdria ruminantium* infection) by means of a transmission dynamics model 49

PEREIRA, C., FALLON, P. G., CORNETTE, J., CAPRON, A., DOENHOFF, M. J. and PIERCE, R. J. Alterations in cytochrome-*c* oxidase expression between praziquantel-resistant and susceptible strains of *Schistosoma mansoni* 63

MAIR, G. R., MAULE, A. G., SHAW, C., JOHNSTON, C. F. and HALTON, D. W. Gross anatomy of the muscle systems of *Fasciola hepatica* as visualized by phalloidin-fluorescence and confocal microscopy 75

VAN AKEN, D., VERCRUYSSE, J., DARGANTES, A., VALDEZ, L., FLORES, A. and SHAW, D. J. Development of immunity to *Mecistocirrus digitatus* (Nematoda: Trichostrongylidae) in calves 83

SKINNER, T. M., BASCAL, Z. A., HOLDEN-DYE, L., LUNT, G. G. and WOLSTENHOLME, A. J. Immunocytochemical localization of a putative inhibitory amino acid receptor subunit in the parasitic nematodes *Haemonchus contortus* and *Ascaris suum* 89

PART 2 AUGUST 1998

GRAVENOR, M. B. and KWIATKOWSKI, D. An analysis of the temperature effects of fever on the intra-host population dynamics of *Plasmodium falciparum* 97

FICH, C., KLAUENBERG, U., FLEISCHER, B. and BRÖKER., B. M. Modulation of enzymatic activity of Src-family kinases in bovine T cells transformed by *Theileria parva* 107

SIRE, C., ROGNON, A. and THERON, A. Failure of *Schistosoma mansoni* to reinfect *Biomphalaria glabrata* snails: acquired humoral resistance or intra-specific larval antagonism? 117

OUMA, J. H., FULFORD, A. J. C., KARIUKI, H. C., KIMANI, G., STURROCK, R. F., MUCHEMI, G., BUTTERWORTH, A. E. and DUNNE, D. W. The development of schistosomiasis mansoni in an immunologically naive immigrant population in Masongaleni, Kenya 123

TROUVÉ, S., RENAUD, F., DURAND, P. and JOURDANE, J. Experimental evidence of hybrid breakdown between genetically distinct populations of *Echinostoma caproni* 133

HARRIS, P. D., SOLENG, A. and BAKKE, T. A. Killing of *Gyrodactylus salaris* (Platyhelminthes, Monogenea) mediated by host complement 137

BRAITHWAITE, V. A., SALKELD, D. J., McADAM, H. M., HOCKINGS, C. G., LUDLOW, A. M. and READ, A. F. Spatial and discrimination learning in rodents infected with the nematode *Strongyloides ratti* 145

ZHU, X. Q., JACOBS, D. E., CHILTON, N. B., SANI, R. A., CHENG, N. A. B. Y. and GASSER, R. B. Molecular characterization of a *Toxocara* variant from cats in Kuala Lumpur, Malaysia 155

STEAR, M. J., BAIRDEN, K., BISHOP, S. C., GETTINBY, G., MCKELLAR, Q. A., PARK, M., STRAIN, S. and WALLACE, D. S. The processes influencing the distribution of parasitic nematodes among naturally infected lambs 165

WU, Z., NAGANO, I. and TAKAHASHI, Y. The detection of *Trichinella* with polymerase chain reaction (PCR) primers constructed using sequences of random amplified polymorphic DNA (RAPD) or sequences of complementary DNA encoding excretory–secretory (E–S) glycoproteins 173

LYMBERY, A. J. Combining data from morphological traits and genetic markers to determine transmission cycles in the tape worm, *Echinococcus granulosus* 185

NONAKA, N., TSUKADA, H., ABE, N., OKU, Y. and KAMIYA, M. Monitoring of *Echinococcus multilocularis* infection in red foxes in Shiretoko, Japan, by coproantigen detection 193

PART 3 SEPTEMBER 1998

JAROSZ, J. Active resistance of entomophagous rhabditid *Heterorhabditis bacteriophora* to insect immunity 201

SIDDIQUE, A. B., AHLBORG, N., WÅHLIN FLYG, B., PERLMANN, P. and BERZINS, K. Antibodies to sequences in a non-repeat region of *Plasmodium falciparum* antigen Pf155/RESA inhibit either cyto-adherence or parasite growth *in vitro* 209

STAHL, W. and KANEDA, Y. Impaired thyroid function in murine toxoplasmosis 217

STAHL, W. and KANEDA, Y. Aetiology of thyroidal dysfunction in murine toxoplasmosis 223

KANG, E. W., CLINCH, K., FURNEAUX, R. H., HARVEY, J. E., SCHOFIELD, P. J. and GERO, A. M. A novel and simple colorimetric method for screening *Giardia intestinalis* and anti-giardial activity *in vitro* 229

KANE, R. A. and ROLLINSON, D. Comparison of the intergenic spacers and 3′ end regions of the large subunit (28S) ribosomal RNA gene from three species of *Schistosoma* 235

STOTHARD, J. R., FRAME, I. A., CARRASCO, H. J. and MILES, M. A. On the molecular taxonomy of *Trypanosoma cruzi* using riboprinting 243

STOTHARD, J. R., FRAME, I. A., CARRASCO, H. J. and MILES, M. A. Temperature and gradient gel electrophoresis (TGGE) analysis of riboprints from *Trypanosoma cruzi* 249

KIRVAR, E., WILKIE, G., KATZER, F. and BROWN, C. G. D. *Theileria lestoquardi* – maturation and quantification in *Hyalomma anatolicum anatolicum* ticks 255

HINTZ, M., SCHARES, G., TAUBERT, A., GEYER, R., ZAHNER, H., STIRM, S. and CONRATHS, F. J. Juvenile female *Litomosoides sigmodontis* produce an excretory/secretory antigen (Juv-p120) highly modified with dimethylaminoethanol 265

NILSSEN, A. C., HAUGERUD, R. E. and FOLSTAD, I. No interspecific covariation in intensities of macroparasites of reindeer, *Rangifer tarandus* (L.) 273

LINDHOLM, A. M., REUTER, M. and GUSTAFSSON, M. K. S. The NADPH–diaphorase staining reaction in relation to the aminergic and peptidergic nervous system and the musculature of adult *Diphyllobothrium dendriticum* 283

PART 4 OCTOBER 1998

SHAKER, Y. M., WU, C. H., EL-SHOBAKI, F. A., ASHOUR, E., KHATTAB, H. M., DRAZ, H. M., KAMEL, R. and WU, G. Y. Human portal serum stimulates cell proliferation in immature *Schistosoma mansoni* 293

RIENGROJPITAK, S., ANDERSON, S. and WILSON, R. A. Induction of immunity to *Schistosoma mansoni*: interaction of schistosomula with accessory leucocytes in murine skin and draining lymph nodes 301

CARVALHO, W. S., LOPES, C. T., JULIANO, L., COELHO, P. M. Z., CUNHA-MELO, J. R., BERALDO, W. T. and PESQUERO, J. L. Purification and partial characterization of kininogenase activity from *Schistosoma mansoni* adult worms 311

SKILTON, R. A., BISHOP, R. P., WELLS, C. W., SPOONER, P. R., GOBRIGHT, E., NKONGE, C., MUSOKE, A. J., MACKLIN, M. and IAMS, K. P. Cloning and characterization of a 150 kDa microsphere antigen of *Theileria parva* that is immunologically cross-reactive with the polymorphic immunodominant molecule (PIM) 321

IMHOOF, B. and SCHMID-HEMPEL, P. Single-clone and mixed-clone infections versus host environment in *Crithidia bombi* infecting bumblebees 331

O'LEARY, S. A., BURNELL, A. M. and KUSEL, J. R. Biophysical properties of the surface of desiccation-tolerant mutants and parental strain of the entomopathogenic nematode *Heterorhabditis megidis* (strain UK211) 337

CURRIE, R. M., NEEDHAM, C. S., DRAKE, L. J., COOPER, E. S. and BUNDY, D. A. P. Antigenic variability in *Trichuris trichiura* populations 347

WEIDONG PENG, ANDERSON, T. J. C., XIANMIN ZHOU AND KENNEDY, M. W. Genetic variation in sympatric *Ascaris* populations from humans and pigs in China 355

JANSSEN, C. S., TETLEY, L. and KENNEDY, M. W. Developmental activation of infective *Trichinella spiralis* larvae 363

WEDEKIND, C., STRAHM, D. and SCHÄRER, L. Evidence for strategic egg production in a hermaphroditic cestode 373

FERNANDEZ, M., LITTLEWOOD, D. T. J., LATORRE, A., RAGA, J. A. and ROLLINSON, D. Phylogenetic relationships of the family Campulidae (Trematoda) based on 18S rRNA sequences 383

THOMPSON, P. M., CORPE, H. M. and REID, R. J. Prevalence and intensity of the ectoparasite *Echinophthirius horridus* on harbour seals (*Phoca vitulina*): effects of host age and inter-annual variability in host food availability 393

PART 5 NOVEMBER 1998

SAUL, A. Models for the in-host dynamics of malaria revisited: errors in some basic models lead to large over-estimates of growth rates 403

GRAVENOR, M. B. and LLOYD, A. L. Reply to: Models for the in-host dynamics of malaria revisited: errors in some basic models lead to large over-estimates of growth rates 407

HASTINGS, I. M. and MACKINNON, M. J. The emergence of drug-resistant malaria 409

NGONSEU, E., CHATTERJEE, S. and WERY, M. Blocked hepatic-stage parasites and decreased susceptibility to *Plasmodium berghei* infections in BALB/c mice 417

FOWLER, R. E., FOOKES, R. E., LAVIN, F., BANNISTER, L. H. and MITCHELL, G. H. Microtubules in *Plasmodium falciparum* merozoites and their importance for invasion of erythrocytes 423

SHAW, M. K., ROOS, D. S. and TILNEY, L. G. Acidic compartments and rhoptry formation in *Toxoplasma gondii* 433

EY, P. L., DARBY, J. M. and MAYRHOFER, G. Comparison of *tsa 417*-like variant-specific surface protein (VSP) genes in *Giardia intestinalis* and identification of a novel locus in genetic Group II isolates 443

SHEHU, K. and NOWELL, F. Cross-reactions between *Eimeria falciformis* and *Eimeria pragensis* in mice induced by trickle infections 455

SCHLEIN, Y. and JACOBSON, R. L. Resistance of *Phlebotomus papatasi* to infection with *Leishmania donovani* is modulated by components of the infective blood meal 465

WOOLHOUSE, M. E. J., ETARD, J.-F., DIETZ, K., NDHLOVU, P. D. and CHANDIWANA, S. K. Heterogeneities in schistosome transmission dynamics and control 473

PAIVA, C. N., SOUTO-PADRON, T., COSTA, D. A. and GATTASS, C. R. High expression of a functional cruzipain by a non-infective and non-pathogenic *Trypanosoma cruzi* clone 481

GANNICOTT, A. M. and TINSLEY, R. C. Larval survival characteristics and behaviour of the gill monogenean *Discocotyle sagittata* 489

GANNICOTT, A. M. and TINSLEY, R. C. Environmental effects on transmission of *Discocotyle sagittata* (Monogenea): egg production and development 497

BARTON, D. P. Dynamics of natural infections of *Rhabdias* cf. *hylae* (Nematoda) in *Bufo marinus* (Amphibia) in Australia 503

PART 6 DECEMBER 1998

ENRIQUEZ, F. J., WAGNER, G., FRAGOSO, M. and DITRICH, O. Effects of an anti-exospore monoclonal antibody on microsporidial development *in vitro* 515

VOŘÍŠEK, P., VOTÝPKA, J., ZVÁRA, K. and SVOBODOVÁ, M. Heteroxenous coccidia increase the predation risk of parasitized rodents 521

XIANGDONG YOU and MEAD, J. R. Characterization of experimental *Cryptosporidium parvum* infection in IFN-γ knockout mice 525

EDA, S. and SHERMAN, I. W. The effects of chemical modification on the adhesion of *Plasmodium falciparum*-infected and uninfected erythrocytes 533

PRADINES, B., MABIKA MAMFOUMBI, M., PARZY, D., OWONO MEDANG, M., LEBEAU, C., MOUROU MBINA, J. R., DOURY, J. C. and KOMBILA, M. *In vitro* susceptibility of Gabonese wild isolates of *Plasmodium falciparum* to artemether, and comparison with chloroquine, quinine, halofantrine and amodiaquine 541

DUJARDIN, J. C., BAÑULS, A. L., DUJARDIN, J. P., AREVALO, J., TIBAYRENC, M. and LE RAY, D. Comparison of chromosome and isoenzyme polymorphism in geographical populations of *Leishmania* (*Viannia peruviana*) 547

PIACENZA, L., RADI, R., GOÑI, F. and CARMONA, C. CuZn superoxide dismutase activities from *Fasciola hepatica* 555

JACKSON, J. A., TINSLEY, R. C. and HINKEL, H. H. Mutual exclusion of congeneric monogenean species in a space-limited habitat 563

ELARD, L., SAUVE, C. and HUMBERT, J. F. Fitness of benzimidazole-resistant and -susceptible worms of *Teladorsagia circumcincta*, a nematode parasite of small ruminants 571

RODRÍGUEZ-CONTRERAS, D., SKELLY, P. J., LANDA, A., SHOEMAKER, C. B. and LACLETTE, J. P. Molecular and functional characterization and tissue localization of 2 glucose transporter homologues (TGTP1 and TGTP2) from the tapeworm *Taenia solium* 579

BOES, J., MEDLEY, G. F., ERIKSEN, L., ROEPSTORFF, A. and NANSEN, P. Distribution of *Ascaris suum* in experimentally and naturally infected pigs and comparison with *Ascaris lumbricoides* infections in humans 589

SHAW, D. J., GRENFELL, B. T. and DOBSON, A. P. Patterns of macroparasite aggregation in wildlife host populations 597